

STORM CENTRE GUIDE 2024



Rexel Atlantic

Residential - Commercial
Industrial - Institutional
Utility - Retail

REXEL

Introduction

Welcome to 2024 Hurricane Season!

The National Oceanic and Atmospheric Administration's (NOAA) outlook for the 2024 Atlantic hurricane season, which spans from June 1 to November 30, predicts an 85% chance of an above-normal season. NOAA is forecasting a range of 17 to 25 total named storms (winds of 39 mph or higher).

Be prepared for this Hurricane Season by stocking up on your Hurricane Service products at Rexel Atlantic.

Why Choose Rexel?

With 2000 branches operating in 26 countries with over 27,000 employees, Rexel is a key stakeholder in the energy transition. Rexel is an expert in multichannel distribution for the energy world; Rexel supports its professional customers with sustainable and innovative solutions, wherever they are.

Rexel offers its customers innovative, efficient and sustainable electrical solutions. Our expertise, worldwide branch network and our diversified offering make the Rexel Group the partner of choice for the whole electrical sector; for industrial, residential and commercial markets.






TABLE OF CONTENTS

GENERATORS	4
GENERATOR PANELS	5
GENERATOR KITS	5
TRANSFER SWITCHES	6
RIGID PVC, CONDUIT & FITTINGS	7
LOCKING DEVICES	8
WATERPROOF COVER	8
METER SOCKETS	9
SERVICE MASTS, FITTINGS & ACCESSORIES	10
WIRE & CONNECTORS	11



GPO7686

XT8000E Generator 8000WA



GPO8026

GP2200I 2200 Watt Generator



GPO7042

22KW Air Cooled Standby Generator



GPO7226

18/17 KW Air Cooled Standby Alum. ENC



GPO7209

24/21KW Air Cooled Generator Alum Enc.



GPORXSW200A3CUL

ATS 200A 120/240V 1PH



GPO6333

60AMP Single Load Transfer Switch



GPO7682

7682 Elec. Port Generator 6500W

ACCESSORIES



GPO6346

30 Amp 125/250-Volt Aluminum Power Inlet Box with Spring-Loaded Flip Lid

GPO6347

50-Amp 125/250-Volt Aluminum Power Inlet Box with Spring-Loaded Flip Lid

Generator Panels



SCHCHGP3038

Generator panel, Homeline, 20 spaces, 38 circuits, 30A main breaker, NEMA1



SCHCHGP6038

Generator panel, Homeline, 20 spaces, 38 circuits, 60A main breaker, NEMA1



SCHQOGP3P3036P

Generator panel, QO, 1 phase, 18 spaces, 36 circuits, 30A main breaker, PoN, NEMA1, cover with door, UL



SCHQOGP3P6036P

Generator panel, QO, 1 phase, 18 spaces, 36 circuits, 60A main breaker, PoN, NEMA1, cover with door, UL



SCHHEPD80C

SPD, HEPD type 1, 120/240 V, 1 PH, 3 wire, 80 kA, consumer packaging

Generator Kits



LEV37820KIT

Generator Inlet Kit, 20A, 125/250V, Includes Flanged Inlet, Weatherproof Cover and FD Box - GRAY



LEV37830KIT

Generator Inlet Kit, 30A, 125/250V, Includes Flanged Inlet, Weatherproof Cover and FD Box - GRAY



MA23 (30-AMP)

This model of the GenerLink works with portable generators that have a running wattage below 8,500 watts. Add surge protection (75kA per phase) to either model to protect all your white appliances from a surge. The surge module has an audible alarm to notify you when you take a hit!



GLOMA23NL143020

30-amp GenerLink with NO surge protection;
30A L1430 20' cord - Nova Scotia & New Brunswick

GLOMA23SL143020

30-amp GenerLink with NO surge protection; 30A L1430
20' cord - Prince Edward Island

GLOMA24N145020

MA24N 40A 14-50 20' CORD NON-SURGE

GLOMA24S145020

MA24S 40A L14-50 20' CORD SURGE

GLOGMA23NL143020

MA23N 30A L14-30 20' CORD NON-SUR W/GASK

GLOGMA23SL143020

MA23S 30A L14-30 20' CORD SURGE W/GASKET

GLOGMA24N145020

MA24N 40A 14-50 20' CORD NON-SURGE

GLOGMA24S145020

MA24S 40A L14-50 20' CORD SURGE

Rigid PVC, Conduit & Fittings



IPEEC25
1-1/4" COUPLING



IPEMO35
2" PVC METER OFFSET



IPEEC35
2" COUPLING



IPEPS25
1-1/4" 2-HOLE PIPE STRAP



IPEEE2590
1-1/4" X 90D ELBOW



IPEPS35
2" 2-HOLE PIPE STRAP



IPEEE3590
2" X 90D ELBOW



IPEPVC11/4X10
1-1/4" PVC RIGID CONDUIT



IPEEF25
1-1/4" ENTRANCE FITTING



IPEPVC2X10
2" PVC RIGID CONDUIT



IPEEF35
2" ENTRANCE FITTING



IPESLB40S
1-1/4" LB FITTING



IPEFDBLANK
1-GANG SCEPTER F SERIES
DEEP BLANK BOX



IPESLB60S
2" LB FITTING



IPEMHU25
1-1/4" PVC METER HUB



IPEETA25
1-1/4" TERMINAL ADAPTER



IPEMHU35
2" PVC METER HUB



IPEETA35
2" TERMINAL ADAPTER



IPEMO25
1-1/4" PVC METER OFFSET

Locking Devices



LEV2411

20 Amp, 125/250 Volt, NEMA L14-20P, 3P, 4W, Locking Plug, Industrial Grade, Grounding, - Black-White



LEV2711

30 Amp, 125/250 Volt, NEMA L14-30P, 3P, 4W, Locking Plug, Industrial Grade, Grounding, - Black-White



LEV2413

20 Amp, 125/250 Volt, NEMA L14-20R, 3P, 4W, Locking Connector, Industrial Grade, Grounding, - Black-White



LEV2713

30 Amp, 125/250 Volt, NEMA L14-30R, 3P, 4W, Locking Connector, Industrial Grade, Grounding, - Black-White



LEV6364CR

50 Amp, 125/250 Volt, NEMA Non-NEMA, 3P, 4W, Locking Connector, Industrial Grade, Grounding, Corrosion Resistant - Yellow-White



LEVCS6364C

50Amp, 125/250V AC, Non-NEMA, 3P, 4W, Locking Connector, Industrial Grade, Grounding, California-Style(CS) – Black-White



LEV6365CR

50 Amp, 125/250 Volt, NEMA Non-NEMA, 2P, 3W, Locking Plug, Industrial Grade, Grounding, Corrosion Resistant - Yellow-White



LEV2415

20 Amp, 125/250 Volt, NEMA L14-20P, 3P, 4W, Flanged Inlet Locking Receptacle, Industrial Grade, Grounding, - White



LEV2715

30 Amp, 125/250 Volt, NEMA L14-30P, 3P, 4W, Flanged Inlet Locking Receptacle, Industrial Grade, Grounding, - White



LEV275E

30/50 Amp, 125/250 Volt, NEMA 14-30P/14-50P, 3P, 4W, Plug, Straight Blade, Commercial Grade, Angle, Grounding - Black

Waterproof Cover



LEVWP2G

1-Gang Weatherproof Cover for Flanged Devices, 2.25 Inch Diameter, FS/FD Box Mount, Industrial Grade, IP64, NEMA 3R, Vertical Self Closing Lid - GRAY For Use With 3-, 4- or 5-Wire 20 Amp & 30 Amp Locking Flanged Inlets or Outlets



THSBE1V

Meter socket king size 100 amperes 600 volts. 4 jaw. Overhead hub opening.



THSBE2V

Meter socket 200 amperes 600 volts (100 amperes per position) horizontal. 4 jaw. 2 positions. Left-hand entry.



THSBQ222VNH

Meter socket standard enclosure 200 amperes 600 volts. 4 jaw. Overhead twin hub opening.



THSBQ222VNHGN

Meter socket standard enclosure 200 amperes 600 volts. 4 jaw. Overhead twin hub opening complete with 2 inches hub. Ground lug on neutral.



THSBQ2TV

Meter socket standard enclosure 200 amperes 600 volts 200 amperes 600 volts for overhead, underground and combination overhead/underground service supplied with screw type ring.



THSBQ2TVGN

Meter socket standard enclosure 200 amperes 600 volts. 4 jaw. Underground. Ground lug on neutral




THSBQ2VGN

Meter socket standard enclosure 200 amperes 600 volts. 4 jaw. Overhead hub opening. Ground lug on neutral.



THSBS051

Hub opening closure plate. Inside attachment for regular hub opening (ie: 1 inch to 2-1/2 inches).



THSBS052

Hub adapter plate. Permits use of regular size hubs on larger hub openings.



THSBS2TCV

Oversize enclosure meter socket 200 amperes 600 volts. 4 jaw. Combination overhead-underground.



THSBS2TV

Oversize enclosure meter socket 200 amperes 600 volts. 4 jaw. Underground.



THSBS42V

Meter socket 400 amperes 600 volts multiple position, 200 amperes per position, with blank compartment. 4 jaw left hand entry. 2 positions.

Service Masts, Fittings & Accessories



THSKIT100NBMH

Mast kit consist of 1 MM104, 3 MM251, 1 MH200 and 1 MM505N - NB/NF



THSKIT100NSMH

Mast kit consist of 1 MM104, 4 MM251, 1 MM505N and 1 MH200 - NS



THSKIT200NBMH

Mast kit consist of 1 MM202, 1 MH200, 3 MM251 and 1 MM505N - NB/PEI

THSKIT200NSMH

Mast kit consist of 1 MM202, 1 MH200, 3 MM251 and 1 MM505N- NS

THSKIT106NBMH

Mast kit consist of 1 MM104, 4 MM251, 1 MM505N and 1 MH200 - NB

THSKIT205LDMH

Mast kit consist of 1 MM202, 1 MM101, 3 MM251, 1 MH200 and 1 MM505N - NF

THSKIT200MH

Mast kit consist of 1 MM202, 1 MM201, 1 MM505N, 3 MM255 and 1 MH200 - NB/PEI

THSKIT206NBMH

Mast kit consist of 1 MM202, 1 MH200, 3 MM251 and 1 MM506N - NB/PEI

ACCESSORIES

THSMC250

2-1/2 inches mast steel coupler

THSMH12X

Threaded interchangeable hubs aluminum. For 2-1/2 inches regular hub opening. Hub size:1-1/4 inches

THSMH200

Mast coupler. Fits all sockets with regular 2-1/2 inches hub opening.

THSMM10

10 feet x 2-1/2 inches outside diameter mast.

THSMM101

Light duty spool rack for 100A service entrance complete with bracket.

THSMM104

1-1/4 inches entrance cap.

THSMM12

12 feet x 2-1/2 inches outside diameter mast.

THSMM201

Heavy duty spool rack.

THSMM202

2 inches entrance cap 200 amperes

THSMM8

8 feet x 2-1/2 inches outside diameter mast.


THSMM914

Guy kits for 2-1/2 inches masts. 1/4 inch Guy Kit.



TYCKZEP40

KZEP4/0 Neutral Connector



WIRRWAL1WHT
RW90 1 AL WHITE 600V

WIRRWAL4/0WHT
RW ALUM 4/0 WHT

WIRRWAL250BLK
RW90 250 AL BLACK 600V

WIRSOOW10/4305
SOW/SOOW 10/4 CABTIRE 305M

WIRRW6GRN
6 STR RW90 GREEN

WIRRWAL250WHT
RW90 250 AL WHITE 600V

WIRSOOW6/4
SOW/SOOW 6/4 CABTIRE

WIRRWAL1BLK
RW90 1 AL BLACK 600V

WIRRWAL4/0BLK
RW ALUM 4/0 BLK

SOU4187SW8802
Southwire Extension Cord, 12/3.

ARE YOU READY?

Make Rexel Atlantic your first stop
for your storm centre needs

atlantic.rexel.ca

The Rexel Atlantic Branch Network

**Rexel Atlantic
Corporate Head Office**
161 Williams Ave.
Dartmouth, NS B3B 0B4
Phone: 902.482.1550

Nova Scotia

Bridgewater
149 Logan Rd.
Bridgewater, NS B4V 3T3
Phone: 902.543.1112

Dartmouth
161 Williams Ave.
Dartmouth, NS B3B 0B4
Phone: 902.482.1550

Halifax
3731 Macintosh St.
Halifax, NS B3K 5A5
Phone: 902.484.3000

Kentville
10 Pelton Dr.
Kentville, NS B4N 3V7
Phone: 902.678.2491

New Glasgow
99 Park St.
New Glasgow, NS B2H 5B7
Phone: 902.753.2903

Sydney
1212 Upper Prince St.
Sydney, NS B1P 5P6
Phone: 902.564.2645

Yarmouth
29 Industry Ave.
Yarmouth, NS B5A 4K3
Phone: 902.742.9201

Prince Edward Island

Charlottetown
11 Garfi eld St.
Charlottetown, PE C1A 6A4
Phone: 902.566.3434

Summerside
36 Jenkins Ave.
Charlottetown, PE C1N 1E3
Phone: 902.436.6182

New Brunswick

Fredericton
351 Carleton St.
Fredericton, NB E3B 3T8
Phone: 506.458.9333

Moncton
1180 St. George Blvd.
Moncton, NB E1E 4K7
Phone: 506.853.8676

Saint John
1055 Old Rothesay Rd.
Saint John, NB E2L 4S8
Phone: 506.633.1600

Newfoundland

Mount Pearl
1144 Topsail Rd.
Mount Pearl, NL A1N 5E8
Phone: 709.747.5300

Follow us on Social Media:



@RexelAtlantic



Rexel_Atlantic



@RexelAtlantic



Rexel-Atlantic



Rexel Atlantic



SHOP ONLINE 24/7
ATLANTIC.REXEL.CA

REXEL